SAFETY DATA SHEET

Revision date 06-Jun-2022

LEAK#FINDER®

Revision Number 1

1. Identification	
Product identifier	
Product Name	LF2000, Leak detection dye for oil-based systems
Other means of identification	
Product Code(s)	LF2000
Synonyms	LF2001, LF2001CS, LF2008
Recommended use of the chemical	and restrictions on use
Recommended use	Leak Detection
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
<u>Manufacturer</u> Spectronics Corporation 265 Spagnoli Road Melville, NY 11747 USA	
E-mail address sds@spectroline.com	n
Emergency telephone number	
Emergency Telephone	US & Canada: 800-424-9300 (24 HOURS CHEMTREC) Outside US & Canada: +1 703-741-5970 (24 HOURS CHEMTREC)
2. Hazard(s) identification	
Classification	
	dous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)***
Hazards not otherwise classified (H Not applicable	NOC)
Label elements	
Hazard statements This chemical is not considered hazar	dous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)***

The product contains no substances which at their given concentration, are considered to be hazardous to health.***

Appearance Liquid

Physical state Liquid

Odor Slight Petroleum distillates

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.***

Mixture ***

Chemical name	CAS No	Weight-%	Trade secret
Mineral oil***	Trade secret	80 - 90%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth.
Most important symptoms and effer Symptoms Indication of any immediate medica Note to physicians	cts, both acute and delayed No information available. Il attention and special treatment needed Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	No information available.	
Explosion data Sensitivity to mechanical impac	et None.	
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.	

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Mineral oil***	TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and o	chemical properties	
Physical state	Liquid	
Appearance	Liquid	
Color	dark red	
Odor	Slight Petroleum distillates	
Odor threshold	No data available	
Property	Values	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	je No data available	None known
Flash point	141*** °C*** /*** 289.4 °F***	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	.91***	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	Insoluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	<mark>85</mark> *** mm²/s	@ 40 °C
Dynamic viscosity	No data available	None known
Other information	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available No information available	
Softening point	No information available	
Molecular weight VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

LF2000 - LF2000, Leak detection dye for oil-based systems

Inhalation	Specific test data for the	Specific test data for the substance or mixture is not available.			
Eye contact	Specific test data for the	Specific test data for the substance or mixture is not available.			
Skin contact	Specific test data for the	substance or mixture is not available	е.		
Ingestion	Specific test data for the	substance or mixture is not available	е.		
Symptoms related to the physic	ical, chemical and toxicologica	al characteristics			
Symptoms	No information available.				
Acute toxicity					
Numerical measures of toxicity	v				
	/				
۲۰۰۰ The following values are calcu ATEmix (oral)	lated based on chapter 3.1 of 5,882.40*** mg/kg***	the GHS document ***			
** The following values are calcu ATEmix (oral) ATEmix (dermal)	lated based on chapter 3.1 of 5,882.40*** mg/kg*** 5,882.40*** mg/kg***	the GHS document ***			
** The following values are calcu ATEmix (oral) ATEmix (dermal) Component Information	lated based on chapter 3.1 of 5,882.40*** mg/kg*** 5,882.40*** mg/kg***		Inholation J C50		
** The following values are calcu ATEmix (oral) ATEmix (dermal)	lated based on chapter 3.1 of 5,882.40*** mg/kg*** 5,882.40*** mg/kg***	the GHS document *** Dermal LD50 > 5000 mg/kg (Rabbit)	Inhalation LC50		
The following values are calcu ATEmix (oral) ATEmix (dermal) Component Information Chemical name Mineral oil***	lated based on chapter 3.1 of 5,882.40*** mg/kg*** 5,882.40*** mg/kg*** *** Oral LD50 > 5000 mg/kg (Rat)	Dermal LD50	-		
The following values are calcu ATEmix (oral) ATEmix (dermal) Component Information Chemical name Mineral oil***	lated based on chapter 3.1 of 5,882.40*** mg/kg*** 5,882.40*** mg/kg*** *** Oral LD50 > 5000 mg/kg (Rat)	Dermal LD50 > 5000 mg/kg (Rabbit)	-		
The following values are calcu ATEmix (oral) ATEmix (dermal) Component Information Chemical name Mineral oil***	lated based on chapter 3.1 of 5,882.40*** mg/kg*** 5,882.40*** mg/kg*** *** Oral LD50 > 5000 mg/kg (Rat) 5 as well as chronic effects fro No information available.	Dermal LD50 > 5000 mg/kg (Rabbit)	-		

- Germ cell mutagenicity No information available.
- Carcinogenicity No information available.
- **Reproductive toxicity** No information available.
- STOT single exposure No information available.
- **STOT repeated exposure** No information available.
- Target organ effects Respiratory system, Eyes, Skin.***
- Aspiration hazard No information available.
- Other adverse effects No information available.
- Interactive effects No information available.

12. Ecological information

LF2000 - LF2000, Leak detection dye for oil-based systems

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
Mineral oil***	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	microorganisms -	EC50: >1000mg/L (48h, Daphnia magna)
Persistence and degradat	bility No information	on available.		
Bioaccumulation	There is no d	lata for this product.		
Other adverse effects	No informatio	on available.		
13. Disposal consid	lerations			
Disposal methods				
Waste from residues/unus products	sed Dispose of in environmenta	accordance with local regu al legislation.	lations. Dispose of was	te in accordance with
Contaminated packaging	Do not reuse	empty containers.		
14. Transport inform	nation			

DOT

Not regulated

15. Regulatory information

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Complies.
IECSC	Does not comply.***
KECL	Complies.
PICCS	Does not comply.***
AIIC	Complies.
NZIOC	Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

LF2000 - LF2000, Leak detection dye for oil-based systems

PICCS - Philippines Inventory of Chemicals and Chemical Substances **AIIC** - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mineral oil***	Х	X	Х
Mineral oil	-	X***	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
<u>NFPA</u> HMIS	Health hazards 4*** Health hazards 1****	Flammability 1*** Flammability 1***	Instability 0	Special hazards -	
HMIS Health hazards 1*** Physical hazards 0 Personal protection X Chronic Hazard Star Legend * = Chronic Health Hazard * Physical hazards 0 Personal protection X					
Key or legend to	o abbreviations and acronyms u	sed in the safety data sh	eet_		
Legend Section	n 8: Exposure controls/personal	protection			
TWA	TWA (time-weighted average)	STEL	STEL (Short Term	n Exposure Limit)	
Ceiling	Maximum limit value	*	Skin designation	. ,	
Agency for Toxic U.S. Environmer	eferences and sources for data u Substances and Disease Registry Intal Protection Agency ChemView I Safety Authority (EFSA)	(ATSDR)			

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization F

Revision date	06-Jun-2022
Revision Note	No information available.
<u>Disclaimer</u>	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet