# SAFETY DATA SHEET



Revision date 12-Apr-2023 Revision Number 2

# 1. Identification

**Product identifier** 

Product Name SPI-GGY, GAS-GLO Ultra UV Yellow UV Fluorescent Dye for Gasoline and Diesel Fuel

Systems

Other means of identification

Product Code(s) SPI-GGY

Synonyms SPI-GGY-1, SPI-GGY-16, SPI-GGY-1P24, SPI-GGY-5G

Recommended use of the chemical and restrictions on use

Recommended use Leak Detection

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer

Spectronics Corporation 265 Spagnoli Road Melville, NY 11747 USA

E-mail address sds@spectroline.com

Emergency telephone number

Emergency Telephone US & Canada: 800-424-9300 (24 HOURS CHEMTREC)

Outside US & Canada: +1 703-741-5970 (24 HOURS CHEMTREC)

# 2. Hazard(s) identification

#### Classification

Aspiration hazard Category 1\*\*\*

## Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

Danger\*\*\*

#### Hazard statements

May be fatal if swallowed and enters airways\*\*\*



Appearance No information available Physical state Liquid Odor Slight

# **Precautionary Statements - Response**

\*\*\*

IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting\*\*\*

**Precautionary Statements - Storage** 

Store locked up\*\*\*

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant\*\*\*

#### Other information

No information available.

# 3. Composition/information on ingredients

#### **Substance**

Not applicable.\*\*\*

Mixture \*\*\*

Chemical name	CAS No	Weight-%	Trade secret
Mineral Oil	Trade secret	70 - 80%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid measures

#### **Description of first aid measures**

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.\*\*\*

**Inhalation** Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.\*\*\*

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.\*\*\*

Ensure that medical personnel are aware of the material(s) involved, take precautions to Self-protection of the first aider

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required.\*\*\*

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.\*\*\* **Symptoms** 

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.\*\*

5. Fire-fighting measures

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required.\*\*\*

Other information Refer to protective measures listed in Sections 7 and 8.\*\*\*

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.\*\*\*

# 8. Exposure controls/personal protection

Control parameters

Exposure Limits \*\*\*

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Mineral Oil	TWA: 5 mg/m³ inhalable	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
	particulate matter excluding metal working fluids, highly &	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m³ STEL: 10 mg/m³
	severely refined		_

# **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.\*\*\*

**Skin and body protection**No special protective equipment required.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color dark red Odor Slight

Odor threshold No information available

 Property
 Values
 Remarks • Method

 pH
 No data available
 None known

 Melting point / freezing point
 No data available
 None known

Initial boiling point and boiling rangeNo data available

None known
Flash point

141 °C\*\*\* /\*\*\* 285.8 °F\*\*\*

None known
Evaporation rate

No data available

None known
No data available

None known
None known
Flammability

No data available

None known
None known
None known
None known
None known
None known

**Upper flammability or explosive** No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownRelative vapor densityNo data availableNone knownRelative density0.889None known

# SPI-GGY - SPI-GGY, GAS-GLO Ultra UV Yellow UV Fluorescent Dye for Gasoline and Diesel Fuel Systems

Revision date 12-Apr-2023

Water solubility Insoluble None known No data available Solubility(ies) None known Partition coefficient No data available None known No data available None known **Autoignition temperature Decomposition temperature** None known Kinematic viscosity 19.5 mm<sup>2</sup>/s @ 40 °C **Dynamic viscosity** No data available None known

Other information

No information available **Explosive properties Oxidizing properties** No information available No information available Softening point No information available Molecular weight No information available **VOC** content **Liquid Density** .889

No information available **Bulk density** 

# 10. Stability and reactivity

Reactivity No information available.

Stable under normal conditions. **Chemical stability** 

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.\*\*\*

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.\*\*\*

Skin contact Repeated exposure may cause skin dryness or cracking.\*\*\*

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.\*

Symptoms related to the physical, chemical and toxicological characteristics

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.\*\*\* **Symptoms** 

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document \*\*\*

5,833.30\*\*\* mg/kg\*\*\* ATEmix (oral) 5,833.30\*\*\* mg/kg\*\*\* ATEmix (dermal)

# SPI-GGY - SPI-GGY, GAS-GLO Ultra UV Yellow UV Fluorescent Dye for Gasoline and Diesel Fuel Systems

Revision date 12-Apr-2023

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral Oil	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Target organ effects Respiratory system, Eyes, Skin.\*\*\*

Aspiration hazard May be fatal if swallowed and enters airways.\*\*\*

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

Ecotoxicity \*\*

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Mineral Oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
		Oncorhynchus mykiss)		Daphnia magna)

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

# 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging**Do not reuse empty containers.

# 14. Transport information

**DOT** Not regulated

IATA Not regulated\*\*\*

IMDG Not regulated\*\*\*

RID Not regulated\*\*\*

ADR Not regulated\*\*\*

# 15. Regulatory information

**International Inventories** 

Complies. **TSCA** Complies. **DSL/NDSL** Complies. **EINECS/ELINCS ENCS** Complies. **IECSC** Complies. **KECL** Complies. Complies. **PICCS** Complies. **AIIC NZIoC** Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

\*\*\*

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mineral Oil	Х	X	X
Mineral Oil	-	X	-

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

NFPAHealth hazards2\*\*\*Flammability1\*\*\*Instability0Special hazards-HMISHealth hazards2\*\*\*Flammability1\*\*\*Physical hazards0Personal protectionX

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

# SPI-GGY - SPI-GGY, GAS-GLO Ultra UV Yellow UV Fluorescent Dye for Gasoline and Diesel Fuel Systems

Revision date 12-Apr-2023

Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

**Revision date** 12-Apr-2023

**Revision Note** No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**