SAFETY DATA SHEET



Revision Number 2

Revision date 11-Apr-2023

1. Identification	
Product identifier	
Product Name	TP-3380, UV FLUORESCENT YELLOW DYE FOR OIL-BASED FLUID SYSTEMS
Other means of identification	
Product Code(s)	TP-3380
Synonyms	TP-3380-0008, TP-3380-0016, TP-3380-0032, TP-3380-0100, TP-3380-0500, TP-3380-0601, TP-3380-5500
Recommended use of the chemic	al and restrictions on use
Recommended use	Leak Detection
Restrictions on use	No information available
Details of the supplier of the safet	ty data sheet
<u>Manufacturer</u> Spectronics Corporation 265 Spagnoli Road Melville, NY 11747 USA	
E-mail address sds@spectroline.c	com
Emergency telephone number	
Emergency Telephone	US & Canada: 800-424-9300 (24 HOURS CHEMTREC) Outside US & Canada: +1 703-741-5970 (24 HOURS CHEMTREC)
2. Hazard(s) identificatior	I
<u>Classification</u>	
Aspiration hazard	Category 1
Hazards not otherwise classified	(HNOC)


Hazards not otherwise classified (HNOC) Not applicable

Label elements

Danger

Hazard statements May be fatal if swallowed and enters airways

TP-3380 - TP-3380, UV FLUORESCENT YELLOW DYE FOR OIL-BASED FLUID SYSTEMS



Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Mineral Oil	Trade secret	50 - 60%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures	
Description of first aid measures	

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

	Get immediate medical advice/attention.			
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.			

5. Fire-fighting measures			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the		
Large Fire	surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.		
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.		
Specific hazards arising from the chemical	No information available.		
Explosion data Sensitivity to mechanical impac	t None.		
Sensitivity to static discharge	None.		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Mineral Oil	TWA: 5 mg/m ³ inhalable	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
	particulate matter excluding	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
	metal working fluids, highly &		STEL: 10 mg/m ³
	severely refined		-

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical propertiesPhysical stateLiquidAppearanceLiquidColordark redOdorSlight Petroleum distillatesOdor thresholdNo information available

_		
Property	<u>Values</u>	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	je No data available	None known
Flash point	114.5 °C / 238.1 °F	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	0.871	None known

TP-3380 - TP-3380, UV FLUORESCENT YELLOW DYE FOR OIL-BASED FLUID SYSTEMS

Water solubility	No data available	None known	
Solubility(ies)	insoluble	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature		None known	
Kinematic viscosity	9.8 mm²/s	@ 40 °C	
Dynamic viscosity	No data available None known		
Other information			
Explosive properties	No information available		
Oxidizing properties	No information available		
Softening point	No information available		
Molecular weight	No information available		
VOC content	No information available		
Liquid Density	No information available		
Bulk density	No information available		

10.	Stabi	lity and	d reac	tivity
-				

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)7,500.00ATEmix (dermal)7,500.00mg/kg

Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral Oil	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Delayed and immediate effects	as well as chronic effects fror	n short and long-term exposure	_
Skin corrosion/irritation	No information available.		
Serious eye damage/eye irritatio	on No information available.		
Respiratory or skin sensitization	n No information available.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	No information available.		
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure	No information available.		
Target organ effects	Respiratory system, Eyes,	, Skin.	
Aspiration hazard May be fatal if swallowed and enters airways.			
Other advarge offects	(- Nie information available		
Other adverse effects	No information available.		
Interactive effects	No information available.		

Component Information

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mineral Oil	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Persistence and degradability No information available.				
Bioaccumulation	There is no	There is no data for this product.		
Other adverse effects	No informati	No information available.		

13. Disposal considerations

Disposal	methods	

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

<u>DOT</u>	Not regulated
<u>IATA</u>	Not regulated***
IMDG	Not regulated***
RID	Not regulated***
ADR	Not regulated***

15. Regulatory information

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Complies.
IECSC	Complies.
KECL	Complies.
PICCS	Complies.
AIIC	Complies.
NZIOC	Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mineral Oil	Х	X	Х
Mineral Oil	-	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS Chronic Hazard Star	Health hazards 2 Health hazards 1* Legend *= Chronic I	Flammability Flammability Health Hazard		Instability 0 Physical hazards 0	Special hazards - Personal protection X
	abbreviations and acronyms u 8: Exposure controls/persona TWA (time-weighted average) Maximum limit value	I protection	-		n Exposure Limit)

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date	11-Apr-2023
Revision Note	No information available.
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet